
Diseases of the Pancreas Jack Bragg DO, MACOI


I have no disclosures

I work for the Curators of the University of Missouri





Enzyme Synthesis




Intracellular Injury

 Blockage of secretion Fusion of lysosomes and zymogens -Activation of enzymes Condensing Intracellular injury Colgi Complex


Acute Pancreatitis

Etiologies



- Autoimmune
- Drug-induced
- latrogenic
- IBD-related
- Infectious
- Inherited
- Metabolic
- Neoplastic
- Structural
- Toxic
- Traumatic
- Vascular







Sphincter of Oddi Dysfunction

Modified Biliary Classification

A = Elevated liver tests on 1 or more occasions

B = Dilated Common Bile Duct

Biliary Type I – A+B

Biliary Type II – A or B

Biliary Type III – Pain only



Acute Pancreatitis

Drug Induced Pancreatitis Sorted by Incidence

Common

asparaginase

azathioprine

6-mercaptopurine

didanosine (DDI)

pentamidine

valproate

Uncommon

ACE inhibitors

acetaminophen

5-amino ASA

furosemide

sulfasalazine

thiazides

Rare

carbamazepine

corticosteroids

estrogens


minocycline

nitrofurantoin

tetracycline




Causes of Increased Serum Enzymes




	Amylase	Lipase
Pancreatitis	1	1
Parotitis	1	Normal
Biliary stone	1	1
Intestinal injury	1	1
Tubo-ovarian disease	1	Normal
Renal failure	1	1
Macroamylasemia	1	Normal

ACUTE PANCREATITIS

Time Course of Serum Enzymes



Local Effects of Enzymes



- Inflammation
- Third space losses
- Fat necrosis
- Pancreatic and peripancreatic necrosis

Danger Signals: First Few Hours



- Encephalopathy
- Hypoxemia
- Tachycardia >130/min
- Hypotension <90 mmHg
- Hct >50
- Oliguria <50 ml/hr
- Azotemia



Figure 1.

- (A) Periumbilical ecchymosis (Cullen sign) and
- (B) flank ecchymosis (Grey Turner sign). Published with permission from Chung and Chuang.¹





Ranson's Criteria of Severity


At admission

- Age >55 years
- WBC >16,000/mm³
- Glucose >200 mg/dl
- LDH >350 IU/L
- AST >250 U/L

During initial 48 hours

- Hct decrease of >10
- BUN increase of >5 mg/dl
- Ca** <8 mg/dl
- PaO₂ <60 mm Hg
- Base deficit >4 mEq/L
- Fluid sequestration >6 L

Mortality Related to Ranson's Criteria



Acute Pancreatitis

Treatment

Supportive care

- Aggressive fluid and electrolyte replacement
- Monitoring

Vital signs

Urine output

O₂ saturation

Pain

Analgesia, anti-emetics


Other treatments

- Acid suppression
- Antibiotics
- NG tube
- Nutritional support
- Urgent ERCP



Acute Pancreatitis: Management

Resuscitation



Acute Pancreatitis

Nutritional Support

- Consider when protracted course is likely
- Enteral vs parenteral Safety
 - ? Effect on outcome
- Monitor calcium and triglycerides





Acute Pancreatitis

Major Complications

Local

- Fluid collections
- Necrosis
- Infection
- Ascites
- Erosion into adjacent structures
- Gl obstruction
- Hemorrhage

Systemic

- Pulmonary
- Renal
- CNS
- Multiorgan failure

Metabolic

- Hypocalcemia
- Hyperglycemia



Causes of mortality Pancreatitis


DEATH




- Systemic inflammatory response syndrome (SIRS)
- Multiorgan failure




- Multiorgan failure
- Pancreatic infections/sepsis




Progression to Pseudocyst





Needle Aspiration







Complications

- Severe pain
- Obstruction (CBD, duodenum)
- Dissection
- Bleeding
- Infection
- Leakage (ascites, pleural effusion)
- Rupture

ACUTE PANCREATITIS: COMPLICATIONS


Abscess Drainage





Acute Pancreatitis: Necrosis

Progression




Day 1

Day 3




Pancreatic Necrosis



- Non-perfusion
- Systemic complications
- Local complications
 Hemorrhage Infection



Pancreatic Necrosis



Debridement vs

Observation



Signs of Infected Pancreatic Necrosis

 Increasing markers of inflammation (serum CRP, white blood cell count)

- Newly developed fever without extra pancreatic infection
- Signs of infection on CT


(gas collection within areas of necrosis)





Acute Pancreatitis

Necrosis











Pancreatic Necrosis


Treatment Strategies

Sterile

- Medical therapy
- Debridement for persistent organ failure?

Infected


- Antibiotics
- Debridement






Chronic Pancreatitis

Etiologies





Chronic Pancreatitis



Diagnostic Tests
Structure Function

ERCP

Most sensitive

Secretin test

CT scan
Ultrasonogram

Less sensitive Bentiromide (PABA)
Serum trypsinogen
Fecal chymotrypsin

Abdominal x-ray

Least sensitive

Fecal fat Blood glucose

Chronic Pancreatitis

Clinical Assessment

Presentation Order of evaluation

Pain Imaging

Malabsorption Imaging

Trial of pancreatic

enzymes


Tests of pancreatic insufficiency








Splenic Vein Thrombosis



- Associated with chronic disease
- Splenomegaly
- Large gastric
 varices without
 esophageal
 varices
- Splenectomy for bleeding



Cystic Neoplasm



Clinical clues

- No prior pancreatitis
- Unexplained pancreatitis
- Cyst present on 1st CT

Diagnosis

- Fluid analysis
- EUS, ERCP
- Resection





Cystic Pancreatic Lesions

Type	Features	Cancer risk
Pseudocyst	Macrocystic Thick wall	None
Serous cystadenoma	Micro- or macrocystic	Low
Mucinous cystadenoma	Macrocystic	High
Mucinous cystadenocarcinoma	Macrocystic Thick wall Intracystic mass	Cancer present






Nutritional Management of Exocrine Insufficiency

Diet and exogenous enzymes

Modify fat intake
Medium chain triglycerides
Enzyme replacement

- Coated vs uncoated
- Acid suppression





Vitamins, supplements

Fat soluble

Calcium

Cyanocobalamin (B₁₂)






Pain Management


Treatment	Effectiveness	
No alcohol	Low to moderate	
Analgesia	Moderate	
Enzyme replacement	Low	
Neurolytic therapy	Moderate short term	
Pseudocyst drainage	High	
Pseudocyst drainage Duct decompression	High Moderate	






Pancreatic Cancer Risk





%
Cumulative incidence



64






Pancreatic Insufficiency Without Pancreatitis

Non-pancreatic

- Mucosal disease
 - ↓ CCK release
 - Enterokinase deficiency *
- Gastrinoma
- Bilroth II reconstruction



Pancreatic

- Cystic fibrosis *
- Pancreatic tumors
- Shwachman-Diamond syndrome *
- Childhood pancreatic atrophy *
- Johanson-Blizzard syndrome*
- Adult lipomatosis or atrophy
- Protein-calorie malnutrition





Autoimmune Pancreatitis

Diagnostic Criteria: I

Imaging

Diffuse pancreatic duct narrowing Diffuse pancreatic enlargement

Immunity

Autoantibodies
Elevated gammaglobulins or IgG4

Histology

Periductular lymphoblastic infiltrate Phlebitis Fibrosis





Autoimmune Pancreatitis

Presentation

Symptoms

- Asymptomatic or mild pain
- Acute pancreatitis, rare
- Obstructive jaundice

Imaging

Incidental pancreatic mass

